

# Customer Quote



Pella Corporation  
pella.com

Advanced Home Exterior, LLC

Distributed by: ABC Supply #0009

Customer Name	Deliver To Address	Order Information
<p>██████████                      1001 BARRINGTON CT, ██████████                      Primary</p>		<p><b>Estimated Delivery Date:</b> 09/02/2024  <b>Order Number:</b> P24  <b>Quote Number:</b> 18529112  <b>Final Wall Depth:</b>  <b>Customer PO:</b></p>

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
	10	1	Impervia, 2-Wide Casement, 71 X 53.5, Black	\$2,033.10	\$2,033.10

Location: None Assigned

Rough Opening 71.5" X 54"

**1: 3654 Left Casement**

**General Information:** Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16", 1 15/16"  
**Exterior Color / Finish:** Black  
**Interior Color / Finish:** White, Two Color  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Standard, Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware  
**Screen:** Full Screen, InView™  
**Performance Information:** U-Factor 0.28, SHGC 0.26, VLT 0.49, CPD PEL-N-277-00235-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 60, STC 28, OITC 25, Clear Opening Width 25.25, Clear Opening Height 48.75, Clear Opening Area 8.548177, Egress Meets Typical 5.7 sqft (E) (United States Only)  
**Grille:** No Grille,

**2: 3654 Right Casement**

**General Information:** Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16", 1 15/16"  
**Exterior Color / Finish:** Black  
**Interior Color / Finish:** White, Two Color  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Standard, Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware  
**Screen:** Full Screen, InView™  
**Performance Information:** U-Factor 0.28, SHGC 0.26, VLT 0.49, CPD PEL-N-277-00235-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 60, STC 28, OITC 25, Clear Opening Width 25.25, Clear Opening Height 48.75, Clear Opening Area 8.548177, Egress Meets Typical 5.7 sqft (E) (United States Only)  
**Grille:** No Grille,

**Vertical Mull 1:** FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20

**Wrapping Information:** Factory Applied, Standard Fin, Factory Applied, No Exterior Trim, 3 1/4", Pella Recommended Clearance, Perimeter Length = 249".

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
	15	1	<b>Impervia, Awning, Vent, 35.5 X 35.5, Black</b>	<b>\$710.55</b>	<b>\$710.55</b>
<p><b>1: 3636 Vent Awning</b>  <b>General Information:</b> Standard, Duracast®, Nail Fin, No Foam Insulated, 3 1/4", 1 5/16", 1 15/16"  <b>Exterior Color / Finish:</b> Black  <b>Interior Color / Finish:</b> Black  <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  <b>Hardware Options:</b> Standard, Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Limited Opening Hardware, Sill  <b>Screen:</b> Full Screen, InView™  <b>Performance Information:</b> U-Factor 0.29, SHGC 0.26, VLT 0.49, CPD PEL-N-278-00235-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 60, STC 29, OITC 25, Egress Not Applicable  <b>Grille:</b> No Grille,  <b>Wrapping Information:</b> No Exterior Trim, 3 1/4", Pella Recommended Clearance, Perimeter Length = 142".</p>					

Location: None Assigned

Rough Opening 36" X 36"

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
	20	1	<b>Impervia, Casement Left, 35.5 X 53.5, Black</b>	<b>\$828.31</b>	<b>\$828.31</b>
<p><b>1: 3654 Left Casement</b>  <b>General Information:</b> Standard, Duracast®, Nail Fin, No Foam Insulated, 3 1/4", 1 5/16", 1 15/16"  <b>Exterior Color / Finish:</b> Black  <b>Interior Color / Finish:</b> Black  <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  <b>Hardware Options:</b> Standard, Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Window Opening Control Device, No Limited Opening Hardware  <b>Screen:</b> Full Screen, InView™  <b>Performance Information:</b> U-Factor 0.28, SHGC 0.26, VLT 0.49, CPD PEL-N-277-00235-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 60, STC 28, OITC 25, Clear Opening Width 25.25, Clear Opening Height 48.75, Clear Opening Area 8.548177, Egress Meets Typical 5.7 sqft (E) (United States Only)  <b>Grille:</b> No Grille,  <b>Wrapping Information:</b> No Exterior Trim, 3 1/4", Pella Recommended Clearance, Perimeter Length = 178".</p>					

Location: None Assigned

Rough Opening 36" X 54"


Outside View	Line #	Qty	Description	Item Price	Ext'd Price
	25	1	<b>Impervia, Casement Left, 35.5 X 47.5, Black</b>	<b>\$769.21</b>	<b>\$769.21</b>
<p><b>1: 3648 Left Casement</b>  <b>General Information:</b> Standard, Duracast®, Nail Fin, No Foam Insulated, 3 1/4", 1 5/16", 1 15/16"  <b>Exterior Color / Finish:</b> Black  <b>Interior Color / Finish:</b> Black  <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  <b>Hardware Options:</b> Standard, Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Window Opening Control Device, No Limited Opening Hardware  <b>Screen:</b> Full Screen, InView™  <b>Performance Information:</b> U-Factor 0.28, SHGC 0.26, VLT 0.49, CPD PEL-N-277-00235-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 60, STC 28, OITC 25, Clear Opening Width 25.25, Clear Opening Height 42.75, Clear Opening Area 7.496094, Egress Meets Typical 5.7 sqft (E) (United States Only)  <b>Grille:</b> No Grille,  <b>Wrapping Information:</b> No Exterior Trim, 3 1/4", Pella Recommended Clearance, Perimeter Length = 166".</p>					

Location: None Assigned

Rough Opening 36" X 48"

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
--------------	--------	-----	-------------	------------	-------------



30	1	<b>Lifestyle, Quad Sliding Door, Contemporary,, Fixed / Vent Left / Vent Right / Fixed, 140.125 X 79.5, Without HGP, Black</b>	<b>\$6,158.41</b>	<b>\$6,158.41</b>
----	---	--	-------------------	-------------------

**Location:** None Assigned

**Rough Opening** 141.125" X 80"

**1: 14180 Fixed / Vent Left / Vent Right / Fixed Quad Sliding Door**

**General Information:** No Package, Without Hinged Glass Panel, Factory Assembled, Clad, Pine, 5 7/8", 4 9/16", Oak Threshold

**Exterior Color / Finish:** Standard Enduraclad, Black

**Interior Color / Finish:** Black Stain Interior

**Glass:** Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** No Footbolt, Keylock Included, Standard, Handle Included, Handle Included, Matte Black, Black, No Integrated Sensor

**Screen:** Sliding Screen, Black Metal Interior Black Exterior, Matte Black, InView™

**Performance Information:** U-Factor 0.28, SHGC 0.28, VLT 0.52, CPD PEL-N-230-00076-00001, Performance Class R, PG 20, Calculated Positive DP Rating 20, Calculated Negative DP Rating 20

**Grille:** No Grille,

**Wrapping Information:** Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Factory Applied, Pella Recommended Clearance, Perimeter Length = 440".

## Thank You For Your Interest In Pella® Products

**PELLA WARRANTY:**

Pella® products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella® products and proper management of moisture within the wall system. Neither Pella Corporation nor the branch will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen® [or any other accessory] to the product. You should consult your local building code to ensure your Pella® products meet local egress requirements.

\_\_\_\_\_  
Customer Signature

\_\_\_\_\_  
Pella Contractor Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Date

Order Totals	
Taxable Subtotal	\$10,499.58
Sales Tax	\$0.00
Non-taxable Subtotal	\$0.00
<b>Total</b>	<b>\$10,499.58</b>

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)